

Battery box 122-12

Batteriekasten

Technische Daten

Platz für Batterien (nicht enthalten)	two 12 V/12 Ah
Gehäuse	Metall
Farbe	Weiß
Abmessungen (L x W x H) mm	360 x 470 x 130



Beschreibung


Batteriekasten mit 2 DIN-Schienen, der für Batterien oder externe Karten verwendet werden können.

Platz für zwei 12V 12Ah-Akkus.

Verfügt über einem Öffnungs- und Abhebelnschutz.

Verwandte Produkte und Zubehör

 A white rectangular mounting plate with two yellow DIN rail clips on the bottom edge. A red arrow points to the right, indicating the direction of insertion into a DIN rail. There are four screws on the top edge.	<p>MFC-DIN</p> <p>Montageplatte für die Sicherungskarte PSV 24FC-6</p>
 A white rectangular mounting plate with a grid of small holes. It has two yellow DIN rail clips on the bottom edge. A red arrow points to the right, indicating the direction of insertion into a DIN rail. There are four screws on the top edge.	<p>MKK-DIN</p> <p>Montageplatte für kundenspezifische Produkte</p>
 A rectangular power supply module with a perforated metal housing. It has a green terminal block on the left side and a blue terminal block on the right side. The module is mounted on a DIN rail.	<p>PSV 2415-M</p> <p>Stromversorgungsmodul für DIN-Schienenmontage; VIP, 24 V 1,5 A</p>
 A rectangular power supply module with a perforated metal housing. It has a green terminal block on the left side and a blue terminal block on the right side. The module is mounted on a DIN rail.	<p>PSV 2435-M</p> <p>Stromversorgungsmodul für DIN-Schienenmontage; VIP, 24 V 3,5 A</p>
 A rectangular power supply module with a perforated metal housing. It has a green terminal block on the left side and a blue terminal block on the right side. The module is mounted on a DIN rail.	<p>PSV 2465-M</p> <p>Stromversorgungsmodul für DIN-Schienenmontage; VIP, 24 V 6,5 A</p>

Verwandte Produkte und Zubehör**PSV-DIN**

Montagesatz für DIN-Schienenmontage

**PSV 24FC-6**

Fuse card