

Battery box 401-40

Bateriekasten

Technische Daten

Platz für Batterien (nicht enthalten)	zwei 12 V/40 Ah
Gehäuse	Metall
Farbe	Weiß
Abmessungen (L x W x H) mm	440 x 425 x 200



Beschreibung


Bateriekasten mit einer DIN-Schiene, der für Batterien oder externe Karten verwendet werden können.

Platz für zwei 12V 40 Ah-Akkus.

Verfügt über einem Öffnungs- und Abhebelnschutz.

Verwandte Produkte und Zubehör

 A white rectangular mounting plate with two yellow DIN rail clips on the bottom edge. A red arrow on the top surface points to the right, indicating the direction of insertion into a DIN rail.	MFC-DIN Montageplatte für die Sicherungskarte PSV 24FC-6
 A white rectangular mounting plate with a grid of small holes. It has two yellow DIN rail clips on the bottom edge. A red arrow on the top surface points to the right.	MKK-DIN Montageplatte für kundenspezifische Produkte
 A rectangular power supply module with a perforated metal top cover. It features a green terminal block on the left side and a blue terminal block on the right side. The module is mounted on a DIN rail.	PSV 2415-M Stromversorgungsmodul für DIN-Schienenmontage; VIP, 24 V 1,5 A
 A rectangular power supply module with a perforated metal top cover. It features a green terminal block on the left side and a blue terminal block on the right side. The module is mounted on a DIN rail.	PSV 2435-M Stromversorgungsmodul für DIN-Schienenmontage; VIP, 24 V 3,5 A
 A rectangular power supply module with a perforated metal top cover. It features a green terminal block on the left side and a blue terminal block on the right side. The module is mounted on a DIN rail.	PSV 2465-M Stromversorgungsmodul für DIN-Schienenmontage; VIP, 24 V 6,5 A

Verwandte Produkte und Zubehör**PSV-DIN**

Montagesatz für DIN-Schienenmontage

**PSV 24FC-6**

Fuse card