

JB 370

DISCONTINUED - Replaced by JB 370-2

Junction Box for GD 370 and GD 470 Glass Break Detectors


Technical data

Contact rating	48 VDC / 100 mA
Tamper protection	Yes
Housing material	ABS Plastic
Colour	White
Dimensions (L x W x H) mm	91 x 31 x 23



JB 370 is a junction box which simplifies the installation of the GD 370 glass break detector. The junction box connects GD 370 with IU 370 and/or multiple JB 370. JB 370 is equipped with a built-in resistor for termination of glass break (optional with jumper). It also has tamper protection.











When installing multiple GD 370 in an alarm system JB 370 is used as junction box at each window.



ORDERING INFORMATION

Model	Description
JB 370	Junction box for GD 370

Related products and accessories

	<p>GD 370</p> <p>DISCONTINUE D - Replaced by GD 470</p> <p>Glass Break Detector for Laminated Glass, Glued</p>	 <p>Wiring diagram showing terminals: -, +, C, NC, T, T. Dimensions: 15,5 mm width, 35,0 mm diameter.</p>
	<p>IU 370</p> <p>Interface unit for GD 330/ GD 370/ GD 470</p>	 <p>Wiring diagram showing three relays with 1K resistors and a 2,2K resistor. Dimensions: 91,0 mm length, 31,0 mm height, 23,0 mm depth.</p>
	<p>JB 370-2</p> <p>Junction Box for GD 370 and GD 470 Glass Break Detectors</p>	 <p>Wiring diagram showing connections between terminals: LOOP (+), LOOP IN (-), (-), SAB, SAB, NC, C, +, - and resistors (R, 1k, 2,2k).</p>
	<p>JB 370-5</p> <p>Junction Box for GD 370 Glass Break Detector</p>	 <p>Wiring diagram showing connections between terminals: D1-D5, LOOP IN (-), LOOP (+), LOOP OUT (-), LOOP (+) and resistors (R, 1k, 2,2k).</p>
	<p>GD 470</p> <p>Glass Break Detector for Laminated Glass, Glued, Relay output</p>	 <p>Wiring diagram showing terminals: -, +, C, NC, T, T. Dimensions: 10,5 mm width, 26,5 mm diameter.</p>