

4101.22

ALARM BOX 10 PAIRS

Technical data

Dimensions (L x W x H) mm	134 x 72 x 50
Cable dimension - LSA slots (mm)	Ø 0,4 - 0,7
Cable dimension - screw terminals	0,14 - 1 mm ²
Input max. load	60 V / 2 A
Tamper switch max. load	50 mA
Anti-tamper protection	Yes




Complete junction box for installation of alarm and access systems.

The terminal block has 10 parallel connected terminals, as well as 4 separate connections, of which 2 connections are intended for anti-tamper switch connection and 2 for cable shield.

Label terminal on the board included. The box is flame-retardant according to UL 94 V-0.








Available in different options, slot (LSA) or screw connection with lift function.



ORDERING INFORMATION

Model	Description
4101.2201	Alarm box, 10 pairs; Tamper Protected; LSA / LSA
4101.2202	Alarm box, 10 pairs; Tamper Protected; LSA / Screw
4101.2203	Alarm box, 10 pairs; Tamper Protected; Screw / Screw

Related products and accessories

	2581.06 STACKABLE WALL SPACERS FOR EASY WIRING IN BOX	
	3131.01 LABEL TERMINAL FOR EASY LABELING OF MODULE BLOCKS	
	3132.01 WALL LABEL FOR EASY LABELING	
	0905.18 COVER PLUG TO COVER THE BOX SIDE HOLES	
	0501.01 LSA TOOL FOR KRONE LSA PLUS CONTACTS	

Related products and accessories

	1901.12 SPARE SPRINGS TO FATUM-SERIES
---	--