


3032


DISCONTINUED - Replaced by 3034**Technical data**

Cable dimension - screw terminals	0,2 - 2,5 mm ²
Input max. load	60 V / 2 A
Anti-tamper protection	No
Dimensions (L x W)	116 x 40

**Terminal module with 20 pairs.**











The terminal block has 20 pairs of conductors and up to 2.5 mm² screw connection with lift function for, for example, coarser fire cables.

Terminal spacers as a complement to Ericsson and Esmi mounting are included.




**ORDERING INFORMATION**

Model	Description
3032.03	Fire module, 20 Pairs, Screw

Related products and accessories

	<p>4101</p> <p>MODULE BOX PLASTIC WITH PLACE FOR 1 TERMINAL BLOCK</p>	
	<p>4103</p> <p>MODULE BOX PLASTIC WITH PLACE FOR UP TO 3 TERMINAL BLOCKS</p>	
	<p>4101R</p> <p>REDLINE MODUL E BOX, PLASTIC</p>	
	<p>4103R</p> <p>REDLINE MODUL E BOX, PLASTIC IN RED WITH PLACE FOR UP TO 3 TERMINAL BLOCKS</p>	
	<p>2591.15</p> <p>TERMINAL SPACERS FOR MOUNTING OF OUR TERMINAL BLOCKS</p>	

Related products and accessories

	<p>2591.18</p> <p>TERMINAL SPACERS FOR MOUNTING OF OUR TERMINAL BLOCKS</p>	
	<p>2596.04</p> <p>TERMINAL SPACERS AS A COMPLEMENT TO ESMI- AND ERICSSON-BAR</p>	