

4103,7103

FUSE BOX 10-30 V DC/AC

Technical data

Supply voltage	7-30 VDC, 8-20 VAC
Current consumption	23 mA @12 VDC, 33 mA @24 VDC
Dimensions (L x W x H) mm	134 x 152 x 50
Number of channels	5
Cable dimension - input	0,2 - 2,5 mm2
Cable dimension - output	0,14 - 1,5 mm2
Max. load per channel	30 V / 2 A
Input current max.	10 A



Complete junction box for installation of alarm and access systems.

Anti-tampering protected fuse box for distributing power supply 10 A to 5 sections.


The fuse module 3071 is designed for power distribution.

It contains a dual input input for connection to power supply and five independent secured outputs. The outputs (+) and (-) of each channel are secured with separate fuses.

The normal state of each channel is signaled with green LEDs. Errors detected in each channel (lack of voltage or activated fuse) signaled by common red LED and switching

relay.

Label terminal on the board included. The box is flame-retardant according to UL 94 V-0. The terminal has screw connection with elevator function.




ORDERING INFORMATION

Model Description

4103.7103 Fuse box 10-30V DC/AC, screw



Related products and accessories





Related products and accessories

100	1901.12
a_{n}	SPARE SPRINGS TO FATUM-SERIES
malle	
Mass	