

GD 370-S

Glass Break Detector for Laminated Glass, Glued



Product :

Zone de couverture max.	2 m radius (standard 4-6 mm glass)
Certifications	EN 50131-2-7-2:2013 Grade 2, VdS G 110523 Class B, SBSC 10-33 Class 3
Consommation électrique	1,5 mA (3 mA in alarm state)
Sortie alarme	Relay, NC
Cote commutateur	50 VDC / 100 mA
Indicateur d'alarme	LED
Autoprotection	Oui
Durée alarme	Latching
Réinitialisation alarme	Power down
Connexion	Câble (connection de cable perpendiculaire)
Matériau du coffret	ABS Plastic
Couleur	Blanc
Indice de protection	IP 67
Dimensions (h x Ø) mm	16 x 35
Dimensions (L x l x h) mm	91 x 31 x 23








Product description:





The GD 370-S has the same features as the GD 370 with relay output and can be directly connected to a control panel via the junction box JB 103-6.

The detector has a coiled cable with a modular connector that plugs into the junction box JB 103-6, which allows it to be quickly and easily disconnected from the detector loop when, for example, cleaning windows.

Related products and accessories

 The image shows a white plastic interface unit, model IU 370. It consists of a top cover and a base. The base contains a printed circuit board with several electronic components, including a purple integrated circuit and various resistors and capacitors. There are also some white plastic components on the board.	<p>IU 370</p> <p>Interface unit for GD 330/ GD 370/ GD 470</p>
 The image shows a white plastic junction box, model JB 370. It is shown open, revealing a green printed circuit board inside. The board has several blue terminal blocks and a white cylindrical component. There are also some other electronic components on the board.	<p>JB 370</p> <p>DISCONTINUED - Replaced by JB 370-2</p> <p>Junction Box for GD 370 and GD 470 Glass Break Detectors</p>
 The image shows a white plastic junction box, model JB 370-2. It is shown open, revealing a green printed circuit board inside. The board has several blue terminal blocks and a white cylindrical component. There are also some other electronic components on the board.	<p>JB 370-2</p> <p>Junction Box for GD 370 and GD 470 Glass Break Detectors</p>
 The image shows a white plastic junction box, model JB 370-5. It is shown open, revealing a green printed circuit board inside. The board has several blue terminal blocks and a white cylindrical component. There are also some other electronic components on the board.	<p>JB 370-5</p> <p>Junction Box for GD 370 Glass Break Detector</p>
 The image shows a white plastic cable conduit, model CG 100. It is a cylindrical component with a slightly flared top and bottom, designed to protect cables.	<p>CG 100</p> <p>Cable Conduit</p>

Related products and accessories

	<p>GDK 100 Adhesive Kit</p>
	<p>GVT 500 DISCONTINUED - Replaced by GVT 5000 Test unit for GD 300/GD 400 Glass Break Detectors.</p>
	<p>GVT 5000 Test Unit for Glass Break and Vibration Detectors</p>
	<p>JB 103-6 Junction box for GD 330-S or GD 370-S</p>