

4101.22

ALARM BOX 10 PAIRS

Product :

Dimensions (L x l x h) mm	134 x 72 x 50
Section câblage - bornier LSA (mm)	Ø 0,4 - 0,7
Section câble - borniers	0,14 - 1 mm ²
Tension d'entrée max.	60 V / 2 A
Intensité autoprotection max.	50 mA
Protection anti-sabotage	Yes






**Product description:****Complete junction box for installation of alarm and access systems.**

The terminal block has 10 parallel connected terminals, as well as 4 separate connections, of which 2 connections are intended for anti-tamper switch connection and 2 for cable shield.


Label terminal on the board included. The box is flame-retardant according to UL 94 V-0.

Available in different options, slot (LSA) or screw connection with lift function.

Related products and accessories

 Two stacks of three cylindrical wall spacers each. Each spacer has a central hole and a smaller hole on the side.	<p>2581.06</p> <p>STACKABLE WALL SPACERS FOR EASY WIRING IN BOX</p>
 A small, rectangular metal terminal with a central slot and two side tabs.	<p>3131.01</p> <p>LABEL TERMINAL FOR EASY LABELING OF MODULE BLOCKS</p>
 Two rectangular wall labels, one light blue and one light green, with a circular hole on the left side.	<p>3132.01</p> <p>WALL LABEL FOR EASY LABELING</p>
 A white, oval-shaped cover plug with four small protrusions on its side.	<p>0905.18</p> <p>COVER PLUG TO COVER THE BOX SIDE HOLES</p>
 A white, handheld tool with a pointed tip and a handle, used for crimping contacts.	<p>0501.01</p> <p>LSA TOOL FOR KRONE LSA PLUS CONTACTS</p>

Related products and accessories

	<p>1901.12</p> <p>SPARE SPRINGS TO FATUM-SERIES</p>
---	--