

MC 270-S45 avec résistances intégrées

High Security Contact, NC, with built-in resistors



Product :

Montage	Montage en surface
Circuit du contact	Normalement fermé (NF)
Certifications	EN 50131-2-6 Grade 3, Class IIIA, VdS G 116029 Class C, SBSC 9-205, Class 3/4, F&P, NBÚ CZ Typ 3, NBÚ SK Typ 3, INCERT B-582-1003
Cote commutateur	48 VDC / 500 mA / 10 VA
Aimant (type)	Alnico 5
Installation sur bois	Uniquement avec accessoires
Distance de fermeture (bois) mm	34
Distance de sabotage (bois) mm	20
Distance de fermeture en mm (acier)	x
Autoprotection	Oui
Connexion	Câble (connection de câble perpendiculaire)
Matériau du coffret	Aluminium
Température de fonctionnement	-40°C – +70°C
Indice de protection	IP 67
Dimensions du commutateur (L x l x h) mm	74 x 25 x 15
Dimensions de l'aimant (L x l x h) mm	74 x 25 x 15
Marche normale	12 VDC
Grade	3




Product description:

The MC 270-S45 set is intended for use in exposed environments where a more durable high security contact is needed, such as doors, gates, etc. The set consists of a contact part with NC contact function installed in MC 200-4 Al housing and an extra strong magnet in MC 200-5 Al housing, which allows for a wide opening gap. MC 270-S45 set contains a 1 m long stainless steel Flexi-tube protection (MC T4). Contact and magnet are paired. To ensure proper functionality, do not replace the contact or magnet alone.

Related products and accessories

	MC 200-S3 Plastic Housing for MC 240, 246 and 247
	MC 200-S11 Plastic Flange for MC 240, 246, 247, 250, 255, 270, 272, 275
	MC 200-S12 Plastic Flange with Strong Magnet for MC 240, 246, and 247
	MC 200-S21 Plastic Snap-in Flange for MC 240, 246, 247, 250, 255, 270, 272, 275
	MC 200-S22 Snap-in Flange with Strong Magnet for MC 240, 246 and 247

Related products and accessories

	MC 200-S31 Plastic Snap-in Flange for MC 240, 246, 247, 250, 255, 270, 272, 275
	MC 200-S32 Snap-in Flange with Strong Magnet for MC 240, 246, 247
	MC 200-4 Aluminium Housing for MC 240, 246 and 247
	MC 200-5 Aluminium Part with Extra Strong Magnet for MC 240, 246 and 247
	MC 200-6 Aluminium Housing for Floor Installation for MC 240, 246 and 247

Related products and accessories

	MC 200-7 Aluminium Housing for MC 240, 246 and 247
	MC 200-8 Aluminium Part with Extra Strong Magnet for MC 240, 246 and 247