

MC 470

E-NR: 6332819

High Security Contact, Surface mount, NC

MC 470 is a surface mount high security contact with NC function with 6 screw connections and sabotage contact. The contact is specially designed for use in banks, museums, art galleries, stores, etc.

It has screw terminals with wire protection and a sabotage contact. Enclosed are plastic spacers for installation on steel.

The contact can be supplemented with different accessories such as brackets and extra strong magnets.

TECHNICAL DETAILS

Approvals	Class 3/4,F&P, class II, CNPP 2134030003C0, EN 50131-2-6 Grade 3, FG, GRADE 3 + RTC, INCERT B-582-1003, NBÚ CZ Typ 3, NBÚ SK Typ 3, NF&A2P, SBSC 9-201
Contact rating	48 VDC / 500 mA / 10 VA
Operating temperature	-40°C – +70°C
Housing protection class	IP 43
Make distance (wood) mm	27
Make distance (steel) mm	10
Contact dimensions (L x W x H) mm	65 x 20 x 15
Magnet dimensions (L x W x H) mm	65 x 14 x 10
Normal operation	12 VDC

ALARMTECH

High quality security solutions

MC 470

22 November 2026


Grade	3
Product type	Detectors
Environment	Indoor
Product group	Magnetic contact
Product feature	Surface-mounted
Application area	
Security certification and approval schemes	EN, F&P, FG, INCERT, NBU, NF&A2P, SBSC
Security class	3
Environmental class	II
Contact function	NC
Mounting on steel	With accessories

ORDER INFORMATION

Model	E-NR	Description
MC 470	6332819	High security contact, NC, surface mount
MC 470-B	6332891	High security contact, NC, surface mount, brown

SCHEMATICS

Alarmtech Sweden AB
Staffansväg 8B | 192 78 Sollentuna | Sweden
alarmtechglobal.com



Alarmtech Sweden AB
Staffansväg 8B | 192 78 Sollentuna | Sweden
alarmtechglobal.com